



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/663,048	09/15/2000	Robert S. Behl	16807-002400	3396

7590

08/08/2003

BOSTON SCIENTIFIC CORPORATION
PATENT DEPARTMENT(ATTN: BOX ANNUITY/MFEES)
ONE BOSTON SCIENTIFIC PLACE
NATICK, MA 01760

EXAMINER

KEARNEY, ROSILAND STACIE

ART UNIT

PAPER NUMBER

3739

DATE MAILED: 08/08/2003

19

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

SERIAL NUMBER	FILING DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NO.
09/663,048			

EXAMINER	
ART UNIT	PAPER NUMBER
	19

DATE MAILED:

8-8-03

NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

The drawings filed 9-15-00 have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.

The Brief Description refers to Figures 1-13.

The drawings contain Figures 11A-13.

Applicant is required to correct the above-noted inconsistency within a time limit of ONE MONTH from the date of this letter, or within the time remaining in the response period set forth in the Notice of Allowability to file corrected drawings, whichever is longer. NO EXTENSION OF THIS TIME LIMIT MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) or (b).

Failure to correct the above-noted inconsistency will result in **abandonment** of the application.

The application file will be held in the Publishing Division to await the correction of the inconsistency.

Office of Patent Publication
Publishing Division, Drawing Processing Branch
Customer Service: 703-308-6789 or 1-888-786-0101